

PEREGRINE® XP™



**STEINER** <sup>®</sup>  
G E R M A N Y

It took a clean sheet of paper and a challenge to ourselves to achieve a new standard in binocular performance. Engineering and styling requires more than just a newer or better model. It takes years of research, testing and dedication. The result of over six years development is a binocular so good, that we describe it with just one word: *Perfect*.



### High Definition Optics

Steiner developed these remarkable optics. The optical formula is our own development using the purest index matched glass, and coatings using rare-earth formulations of titanium, fluorite and other mineral substrates. The result is record brightness and truest color, with optimal contrast.



### Steiner NANO™ Protection

The Peregrine XP uses Steiner's revolutionary new lens coating application called "NANO protection" which eliminates rain, snow and moisture from your view. NANO is a permanent hydrophobic coating that is so smooth that it's even smooth at the molecular level. The NANO coating is applied to both the objective and eye-piece lenses.



### Eye Relief

With 30mm wide eyepieces or "oculars", you not only gain a "into-the-image" feeling, but you also get the highest comfort of any roof prism binocular – making the view very engaging with no light or peripheral interference.



### Twist-up Eye-cups

With the XP's extensive eye relief, you'll be able to set the desired eye-distance or eye relief for maximum viewing comfort. It's easy to use the XP with or without eyeglasses, or with the convenient glare blocking side flaps, or not.



### Precision Center Focus

The focus is not too fast, nor too slow – with a silky 1.5 turn, you'll go from the 6.5 foot close focus to infinity. However, you'll be amazed to see that the Peregrine XP offers a much higher depth of field than any similar-sized roof prism binocular, so the need for focusing is minimized – making your eyes better, especially in low light or shadows.



### Gel-pad Thumb Grips\*

The first thing you'll probably notice is the uniquely "grip-able" surface on the thumb pad area of the Peregrine XP. Soft and comfortable – like little pillows for your thumbs. The XP's light weight and comfortable feel in your hands will make you more effective when you're glassing.

*\*Patent pending*



### N2 Pressurization

Like many Steiner models, the Peregrine XP is Mil.spec\* waterproof and is pressurized at 22 PSI (over pressure 7.25 PSI) with dry nitrogen gas.

*\*Meets mil std 810-E & F*



### Peregrine XP Accoutrements

Some of the simplest external features will be loved by you and copied by our peers. The Clic-Loc strap system makes removal quick, and attachment of your harness a cinch. The form-fitted Neoprene Rain Hood goes on easy, comes off easy, and stays put when you're carrying your Peregrine XP.



# PEREGRINE<sup>®</sup> XP<sup>™</sup>

## XP Engineered Shape & Style

The Peregrine XP doesn't just look good, it feels good. The smooth rubber armoring and sculpted shape is a pleasure to hold. Under the outer armoring, hides a high-tech, lightweight, high-pressure, magnesium alloy chassis that delivers unrivaled stability.

## Dielectric Mirrors

The roof prism's performance is enhanced by not only a phase correction coating, but also by a dielectric mirror that kills glare and stray light, and boosts brightness with pinpoint sharp resolution.



## Optical Perfection yet Tough as a Rock

In most cases, the two don't go together. The Peregrine XP is much more than a finely crafted instrument. Its attractive shape is made to be used, and used in hard conditions. So don't hold back, take your XP wherever your travels and adventure take you. The XP will be an important part of your discoveries. For that reason, the Peregrine XP is a personal symbol to be used for a lifetime.



#### Peregrine XP Specifications

Item #	804	814
Magnification	8x	10x
Exit pupil Dia.	5.5mm	4.4
Obj. Lens Dia.	44mm	44mm
Ocular Lens Dia.	30mm	30mm
Eye Relief	20mm	20mm
Field of View	390'/1000 yds.	328'/1000 yds.
Short focus dis.	6.5 ft.	6.5 ft.
Focusing wheel	1.5 turn	1.5 turn
Twilight factor	19.5	20.98
Weight approx.	30 oz.	30 oz.
Length approx.	7.4"	7.4"
Width approx.	4.5"	4.5"
Height approx.	2.0"	2.0"

Prisms: Phase corrected Dielectric mirror

Optics: High Definition XP Optics  
with NANO™ Coat



#### Steiner NANO™ Protection

NANO coating simply sheds moisture away from lenses for a continuous clear view.

#### Steiner – 60 Years

With the Peregrine XP, you get 60 years of German Optics know-how built into the pinnacle of the Steiner product range. From our humble beginnings to becoming Europe's number one binocular maker, the Peregrine XP represents our passion and pride for making the best binoculars in the same factory in Bayreuth, Germany.

**STEINER**   
G E R M A N Y  
[www.steiner-binoculars.com](http://www.steiner-binoculars.com)